



U.S. Parts Manual

Part Number: PR15326000

revB - MARCH 2017

Safety First! Take care, risk of personal injury when installing or removing parts.

Crane Merchandising Systems accepts no responsibility for damage caused to the equipment through misinterpretation or misuse of the information contained in this manual.

© Copyright 2012 Crane Merchandising Systems

Introduction

This manual provides you with a visual guide of the parts located within the machine which will help you with the installation, removal and basic maintenance of your VOCE Media freestanding vending machine. Crane Merchandising Systems always recommend that a trained technician service its equipment.

Crane Merchandising Systems is committed to continuous product improvement. This means that the information within this document, although correct at time of publication, is for guidance only and may be subject to change without prior notice.

This machine has been engineered to our own rigid safety and performance requirements and manufactured in accordance with the safety standards of Underwriters Laboratories (UL) and the Canadian Standards Association (CSA).

It has been designed to comply with the National Automatic Merchandising Association (NAMA) "Standard for the Sanitary Design and Construction of Food and Beverage Vending Machines".

To maintain this degree of safety and to continue to achieve the level of performance built into this machine, it is important that the installation and maintenance be performed so as to not alter the original construction or wiring and that replacement parts are as specified in this **Parts Manual**.

Your investment in this equipment will be protected by using the **Technical Manual** and this **Parts Manual** in your operation, service and maintenance work. By following the prescribed procedures, machine performance and safety will be preserved.

CRANE MERCHANDISING SYSTEMS PARTS & TECHNICAL SUPPORT PARTS:

Tel: 1-800-621-7278 Email: parts@cranems.com

SERVICE: 1-800-628-8363 Email: service@cranems.com

For faster service, please have your account number ready before calling.

www.cranems.com

TERMS AND CONDITIONS OF SALE

- **1. PRICES:** All prices, quotations, shipments and deliveries by Seller are F.O.B Seller's plant. All base prices are subject to change without notice and all orders are accepted subject to Seller's price in effect at the time of shipment.
- 2. APPLICABILITY, ACCEPTANCE AND MODIFICATION: These terms and conditions apply to all quotations and purchase orders covering the sale of Seller's products or services. Seller's acceptance of Buyer's order is expressly made conditional on Buyer's acceptance of the terms and conditions set forth herein. The terms and conditions set forth herein, together with the terms of all sale contracts, financing agreements, guaranties or security agreements between Buyer and Seller, constitute the complete agreement between the Seller and Buver, and Seller's acceptance of any order from Buyer is accepted only in accordance with such terms. They may not be modified except by written agreement referring specifically to these terms and conditions and signed by a duly authorized officer or representative of Seller. Any provisions of Buyer's purchase order which are inconsistent with the foregoing shall be of no force and effect, unless Seller shall have agreed to a modification of these terms and conditions in the manner set forth herein. Buyer's failure to specify dissent to these terms and conditions, or its acceptance or use of products or services of Seller shall constitute Buyer's acceptance of these terms and conditions. Buyer, by these presents and the acceptance of the goods ordered herein represents and warrants that buyer is solvent and able to pay for the goods in accordance with these terms and conditions of sale.
- **3. DELIVERY AND DELAYS:** Seller's obligation is to deliver the goods F.O.B Seller's place of manufacture. Risk of loss passes to Buyer at the moment of delivery. Delivery dates given to Buyer in any manner, are approximate. Seller shall not be liable for any delay in delivery or for non-delivery, in whole or in part, caused by the occurrence of any contingency beyond the control of the Seller or suppliers to the Seller, including, but not limited to war, (whether an actual declaration thereof is made or not), sabotage, insurrection rebellion, riot or other act of civil disobedience, act of public enemy, failure or delay in transportation, act of any government or any agency or subdivision thereof, judicial action, labor dispute, fire accident, explosion, epidemic, quarantine, restrictions, storm, flood, earthquake or other act of God, shortage of labor, fuel, raw materials, machinery or technical failure, if any such contingency occurs. Seller may allocate production and deliveries among Seller's customers in its sole discretion.
- **4. STORAGE:** In the event that Buyer is unable to accept delivery of parts or equipment at the time of completion and/or shipment, Seller may invoice for the full purchase price as if shipment has been made and; or (i) if Seller is able to store such equipment in its own facilities the Buyer shall pay Seller reasonable handling and storage charges for the period of such storage; or (ii) if seller is unable to store such equipment in its own facilities, Seller reserves the right to arrange handling and storage in a suitable warehouse for the buyer, at the Buyer's expense. In case where handling and storage becomes necessary, it will become the responsibility of the Buyer to notify Seller when shipment is to be made and destination.

TERMS AND CONDITIONS OF SALE

5. LIMITED WARRANTY: Subject to the limitations specified herein, all parts included on original equipment manufactured by CRANE MERCHANDISING SYSTEMS and sold to purchaser are warranted for two years from the date of shipment of the equipment in question. This warranty applies only to the original purchaser of the Merchandiser and is null and void if the Merchandiser is sold during the period of warranty.

Defective parts will be repaired or replaced free of charge when the defective part is returned, with transportation charges prepaid by Purchaser to a destination designated by CRANE MERCHANDISING SYSTEMS.

This warranty does not include any cost of service rendered or repairs made by customer or its agents on Merchandise, or parts, unless authorization to incur such expense has been given in writing by CRANE MERCHANDISING SYSTEMS prior to incurring such expense. This warranty covers labor and service charges performed by CRANE MERCHANDISING SYSTEMS service technicians for a period of 90 days from the date of shipment.

This warranty does not apply to A) electrical components, wiring, or circuits or mechanical parts or assemblies damaged as a result of operating the Merchandiser at other than the design voltage and frequency specified on the Electrical Rating tag, or B) in event of vandalism, fire or negligence, or C) incandescent lamps, neon lamps, fluorescent lamps, ballasts, starters or other expendable vandalism, fire or negligence, or C) incandescent lamps, neon lamps, fluorescent lamps, ballasts, starters or other expendable items or D) when seal is broken on electronic boards or E) when other manufactured components are installed in CRANE MERCHANDISING SYSTEMS Merchandisers.

Replacement parts sold by CRANE MERCHANDISING SYSTEMS as After Market shall be covered for three months from the date shown on the parts invoice. Purchaser must obtain prior RETURN AUTHORIZATION for return of all parts, following guidelines given by CRANE MERCHANDISING SYSTEMS.

New, unused parts purchased as After Market can be returned within 30 days from the date of parts invoice, with prior authorization from CRANE MERCHANDISING SYSTEMS and subject to a re-stocking fee.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE. CRANE MERCHANDISING SYSTEMS WILL NOT BE RESPONSIBLE FOR CONSEQUENTIAL OR PUNITIVE DAMAGES. CRANE MERCHANDISING SYSTEMS neither assumes nor authorizes any person to assume for it any obligation or liability in connection with the sale of said equipment or any part thereof.

6. LIMITATIONS OF BUYER'S REMEDIES: Buyer's remedies with respect to any claim arising out of any Crane Merchandising Systems' equipment, parts or services, or Crane Merchandising Systems' performance in connection therewith shall be limited exclusively to the warranty specified in Paragraph 5, which warranty shall be limited to the cost of the part or equipment in question.

TERMS AND CONDITIONS OF SALE

- **7. WAIVER:** Waiver by Seller of any breach by Buyer of any of the terms and conditions set forth herein shall not be construed as a waiver of any other breach, and the failure of Seller to exercise any right arising from any default of Buyer hereunder shall not deemed to be a waiver of such right, which may be exercised at any subsequent time.
- **8. ADEQUATE ASSURANCES:** Seller may, at any time, suspend performance of any order or require payment from Buyer in cash, security or other adequate assurance satisfactory to Seller when, in Seller's sole opinion, the financial condition of Buyer or other grounds for insecurity warrant such action.
- **9. TAXES:** Any tax which the Seller may be required to pay or collect, through assessment or otherwise, under any existing or future law upon or with respect to the sale, purchase, delivery, transportation, storage, processing use or consumption of any goods or services provided by Seller to Buyer, including taxes upon or measured by receipts from sales or services, shall be for the account of Buyer and may be added to the price of goods or services purchased by Buyer. Buyer shall promptly pay the amount thereof to Seller upon demand.
- **10. GOVERNING LAW:** This agreement shall be governed by and construed in accordance with the laws of the State of Missouri. Buyer consents to the jurisdiction of the state and federal courts within the State of Missouri.
- **11. CREDIT.** All orders are subject to the approval of Seller, and Seller may at any time refuse to ship or deliver goods to Buyer. All invoices paid after the due date specified within shall accrue interest at the lesser of 2% per month or the highest rate of interest permitted by law.
- **12. ALL SALES ARE FINAL.** This is not a "Sale on Approval" or "Sale on Return" transaction . All sales are final.


TABLE OF CONTENTS

| DOOR GLASS - FULLY INTEGRATED | 1 |
|---|----|
| DOOR GLASS - SINGLE KNOCKOUT | 2 |
| DOOR GLASS - DOUBLE KNOCKOUT | 3 |
| EXTERIOR VIEW OF DOOR (TABLE) | 4 |
| BACKSIDE VIEW OF DOOR | 5 |
| BACKSIDE VIEW OF DOOR (TABLE) | 6 |
| INTERIOR CABINET VIEW | 7 |
| INTERIOR CABINET VIEW (TABLE) | 8 |
| 605 FRESHBREW CANISTER CONFIG. & (TABLE) | 9 |
| 605 FRESHBREW CANISTER ASSEMBLIES & (TABLE) | 10 |
| 606 SOLUBLE CANISTER CONFIG. w/DECAF (TABLE) | 11 |
| 606 SOLUBLE CANISTER ASSY'S w/DECAF (TABLE) | 12 |
| 606 SOLUBLE CANISTER CONFIG. w/o DECAF (TABLE) | 13 |
| 606 SOLUBLE CANISTER ASSY'S w/o DECAF (TABLE) | 14 |
| 607 B2C CANISTER CONFIG. (TABLE) | |
| 607 B2C CANISTER ASSEMBLIES (TABLE) | 16 |
| 607 SBC CANISTER CONFIG. (TABLE) | |
| 607 SBC CANISTER ASSY'S (TABLE) | |
| 607 B2C GRINDER ASSY | |
| 607 B2C GRINDER ASSEMBLY (TABLE) | |
| SUREVEND EMITTER SENSOR LH (TABLE) | |
| SUREVEND EMITTER SENSOR RH (TABLE) | |
| ELECTRONICS PANEL (TABLE) | |
| FUSE & RELAY PANEL (TABLE) | |
| DISPENSE HEAD ASSEMBLY | |
| DISPENSE HEAD ASSEMBLY (TABLE) | |
| TURRET & CUP DROP UNIT ASSEMBLY | |
| TURRET & CUP DROP UNIT ASSEMBLY (TABLE) | |
| CMS WHIPPER MIXING SYSTEM | |
| CMS WHIPPER MIXING SYSTEM (TABLE) | |
| NESTLÉ WHIPPER MIXING SYSTEM (TABLE) | |
| WATER TANK ASSEMBLY | |
| WATER TANK ASSEMBLY (TABLE) | 33 |

TABLE OF CONTENTS

| OLTRE BREWER - FRESHBREW, USA | . 34 |
|---|------|
| OLTRE BREWER - FRESHBREW, USA (TABLE) | . 35 |
| EXHAUST FAN ASSEMBLY & (TABLE) | . 36 |
| LIQUID & GROUNDS BUCKETS / FLOOR LINER & (TABLE) . | . 37 |
| MISCELLANEOUS PARTS (1 THRU 10) | |
| MISCELLANEOUS PARTS (11 THRU 20) | . 39 |
| MISCELLANEOUS PARTS (21 THRU 30) | . 40 |
| MISCELLANEOUS PARTS (31 THRU 40) | . 41 |
| MISCELLANEOUS PARTS (41 THRU 50) | . 42 |
| MISCELLANEOUS PARTS (51 THRU 60) | . 43 |
| MISCELLANEOUS PARTS (61 THRU 70) | . 44 |
| MISCELLANEOUS PARTS (71 THRU 80) | . 45 |
| MISCELLANEOUS PARTS (81 THRU 90) | . 46 |
| MISCELLANEOUS PARTS (91 THRU 100) | . 47 |
| MISCELLANEOUS PARTS (101 THRU 110) | . 48 |
| MISCELLANEOUS PARTS (111 THRU 120) | . 49 |
| MISC. NUTS, SCREWS & WASHERS | . 50 |
| MISC. NUTS, SCREWS & WASHERS | . 51 |
| PART NUMBER INDEX | |
| PART NUMBER INDEX | . 53 |
| PART NUMBER INDEX | . 54 |
| PART NUMBER INDEX | . 55 |
| PART NUMBER INDEX | . 56 |
| PART NUMBER INDEX | . 57 |
| PART NUMBER INDEX | . 58 |
| PART NUMBER INDEX | . 59 |
| PART NUMBER INDEX | |
| PART NUMBER INDEX | . 61 |
| PART NUMBER INDEX | |
| PART NUMBER INDEX | . 63 |
| NOTES PAGES64, 65, | 66 |
| REAR COVER PAGE (contains Contact Information | 67 |

EXTERIOR DOOR VIEW '2a' (Fully Integrated)



EXTERIOR DOOR VIEW '2b' (Single Knockout)



A FRESH APPROACH TO VENDING

EXTERIOR DOOR VIEW '2c' (Double Knockout)




EXTERIOR VIEW OF DOOR

| REF# | PART# | DESCRIPTION |
|------|------------|--|
| 1 | MT13807000 | SURROUND, PAINTED - VOCE SP |
| 2 | **** | 3 GLASS DOOR OPTIONS (see options 2a, 2b, 2c) |
| 2a | GR14979000 | GLASS PRINT, VM CARD SW BLUE SWIRL (Fully Integrated) |
| 2b | GR14978000 | GLASS PRINT, VM STANDARD US BLUE SWIRL (Single Knockout) |
| 2c | GR14981000 | GLASS PRINT, 3 PAYMENT BLUE SWIRL (Double Knockout) |
| 3 | ***** | BILL VALIDATOR (Customer preference) |
| 4 | CR0012773 | INSERT, COIN RAMP - MERCHANT/BEVMAX-G |
| 5 | CR0014768 | ASSY, CARD READER, AND MAGHEAD, G |
| 6 | **** | COIN RETURN CUP |
| 7 | CR0024840 | PLATE, KICK |
| 8 | ME13244000 | FOOT RIGID M12 |
| 9 | ***** | CUP VEND AREA ASSY. |
| 10 | ME13150000 | ASSY. SPRING LOCK, LOW PROFILE |
| 11 | EL14295000 | SCREEN 8.4" LCD |
| **a | CR0026201 | STANDARD KNOCKOUT, POLYCARB/PSG |
| **b | CR0026208 | 2 KNOCKOUT, POLYCARB/PSG |
| **C | CR0025225 | FULLY INTEGRATED, POLYCARB/PSG |
| **d | CR0027431 | STANDARD KNOCKOUT W/NO COIN, POLYCARB/PSG |
| **e | CR0028398 | INTEGRATED W/STANDARD KNOCKOUT POLYCARB/PSG |
| | | umbers **a thru **e are baseline |

Polycarbonate Doors without any Customized graphics. NOTE: Please contact your local CMS Representative or our CMS Sales and/or Parts Representatives for available graphic options or to have your own customized graphic.


BACKSIDE VIEW OF DOOR



BACKSIDE VIEW OF DOOR

| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | MT14176000 | BRACKET, DOOR SWITCH ACTUATOR - VOCE SP |
| 2 | FA07905000 | BUTTON, FIR TREE, BLACK VOCE SP |
| 3 | EL13908000 | ASSY, LED STRIP UPPER - VOCE SP |
| 4 | ***** | CDU TUBES (3 styles used, see 4A, 4b, 4c) |
| 4a | PL13840002 | TUBE, TURRET 7oz./9oz VOCE SP |
| 4b | PL13842002 | TUBE, TURRET 12oz VOCE SP |
| 4c | PL13873000 | TUBE, 16oz./20oz. TURRET - VOCE SP |
| 5 | MT13805000 | LOCK BAR - VOCE SP |
| 6 | ME13150000 | ASSY., SPRING LOCK, LOW PROFILE - VOCE SP |
| 7 | ***** | CUP CATCHER (3 styles used, see 7a, 7b, 7c) |
| 7a | PL13126000 | CUP CATCHER, 73mm - VOCE SP |
| 7b | PL13128000 | CUP CATCHER 80mm - VOCE SP |
| 7c | CR0023344 | CUP CATCHER, 90mm - VOCE SP |
| 8 | ***** | CUP DELIVERY AREA (see pages 38, 43 & 102) |
| 9 | CR0028201 | BRACKET, DRIP CATCHER - VOCE |
| 10 | MT14065290 | BRACKET, PIVOT DRIP CATCHER - VOCE |
| 11 | EL13909000 | STRIP, LED LOWER - VOCE SP |
| 12 | 1671090 | COIN BOX |
| 13 | ME01859000 | CASH BOX LOCK - VOCE SP |
| 14 | MT13085290 | PANEL, MONETARY - VOCE SP |
| 15 | CR0014114 | ASSY, PCB, LED DRIVER - GLOBAL |
| 16 | MT15089 | ATLAS 'G', MOUNTING PLATE |
| 17 | EL10025002 | PROGRAMMING KEYPAD, VOCE |
| 18 | CR0026399 | COVER, ATLAS BOARD |


INTERIOR CABINET VIEW



INTERIOR CABINET VIEW

| REF# | PART# | DESCRIPTION |
|------|---------------|--------------------------------------|
| 1 | 1236050 | SWITCH, DOOR |
| 2 | EL13059001 | I/O (INTERFACE PCB) |
| 3 | MT13078000 | PSU BRACKET |
| 4 | EL14585000 | POWER SUPPLY, SMPSU, 24VDC |
| 5 | EL13165000 | SMPSU 12 VDC POWER SUPPLY |
| 6 | 613VA11700000 | VALVE INLET 24V DC DOUBLE |
| 7 | HO11253000 | HOSE, EVERPURE 3/4' BSP-3 |
| 8 | 6408134 | FILTER HEAD, EVERPURE |
| 9 | 613MT13039000 | BUCKET SUPPORT, SIDE RAIL |
| 10 | CR0024823 | BUCKET STAND, VOCE |
| 11a | 6118071 | CARTRIDGE WATER FILTER - 4H |
| 11b | 6738047 | HYDROLIFE, HLV192AD - ADAPTOR KIT |
| 12 | CR0027483 | LINER, FLOOR, VOCE |
| 13 | PA13590000 | ASSY., WASTE LEVEL PROBE |
| 14 | 613ME10956000 | EXHAUST FAN - 120VAC - USA |
| 15 | 613MT13914340 | MODULE, EXTRACT TRAY, (TFB) |
| 16 | MO10152001 | INGREDIENT MOTOR 24VDC - 125 RPM |
| *17 | 6050002 | KIT VALVE & SEAL (MULLER) - 24VDC |
| 17a | VA10148002 | VALVE DISPENSE 24V DC - (MÜLLER) |
| 17b | VA03377002 | SEAL, PORT, VALVE - (MÜLLER) |
| 17c | VA01838A00 | VALVE, DISPENSE, REPAIR KIT (MÜLLER) |

(605) FRESH BREW CANISTER CONFIG.




| REF# | PART# | DESCRIPTION |
|------|---------------|--|
| 1 | PL14515000 | CAN S x 137 x 460 & AGITATOR & SS FB |
| 2 | 613ME13414000 | BREWER ASSY., OLTRE 83MM - COMPLETE (see page 34 & 35) |
| 3 | 613MT14400000 | WASTE CHUTE, OLTRE BREWER, RH |
| 4 | ME13592001 | PERISTALTIC PUMP ASSY. |
| *** | PA13650000 | TUBING, PERISTALTIC PUMP (see page 44) |
| 5 | MT14465000 | BLANKING PLATE, WHIPPER (LARGE) |
| 6 | MT13766000 | BLANKING PLATE, WHIPPER (SMALL) |
| 7 | **** | CMS MIXING SYSTEM |
| 8 | 613MT13914340 | MODULE, EXTRACT TRAY (TFB) |
| 9 | ***** | CANISTER ASSY., #'s 1 thru 8 (see page 10) |

(605) FRESH BREW CANISTER ASSY'S

| PL11608 | PL11170 | PL11170 | PL11170 | PL11170 | PL11170 | PL11608 | PL11172 | PL14515 |
|---------|----------|--------------------|-----------|---------------------|---------------------|--------------|-------------------|-------------------|
| SUGAR | WHITENER | CAPPUCCINO TOPPING | СНОСОГАТЕ | SOLUBLE PRODUCT (1) | SOLUBLE PRODUCT (2) | DECAF COFFEE | GROUND COFFEE (1) | GROUND COFFEE (2) |

| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | PL11608000 | CANISTER, 67W (NO AGITATOR) X 460H (Used for SUGAR & FREEZE DRIED DECAF COFFEE) |
| 2 | PL11170000 | CANISTER 67W x 460H with AGITATOR (Used for WHITENER, CAPPUCCINO TOPPING, CHOCOLATE, and SOLUBLE #1 & #2) |
| 3 | PL11172000 | CANISTER, 67MM-C/W AGITATOR & SS (Used for FRESH BREW GROUND COFFEE #1) |
| 4 | PL14515000 | CANISTER S x 137 x 460 & AGITATOR & SS FRESH BREW (Used for FRESH BREW COFFEE #2) |

(606) SOLUBLE CANISTER CONFIG. DECAF OPTION w/2 SOLUBLES




| REF# | PART# | DESCRIPTION |
|------|------------|--|
| 1 | ***** | CANISTER ASSY., #'s 1 thru 8 (see page 12) |
| 2 | ***** | CMS MIXING SYSTEM (see page 29 & 30) |
| 3 | ***** | NESTLÉ MIXING SYSTEM (see page 31) |
| 4 | MT14465000 | BLANKING PLATE, WHIPPER (LARGE) |
| 5 | MT13766000 | BLANKING PLATE, WHIPPER (SMALL) |
| 6 | MT13755340 | MODULE, EXTRACT TRAY, DECAF / 2 SOLUBLES |

(606) SOLUBLE CANISTER ASSEMBLIES DECAF OPTION w/2 SOLUBLES

| PL11608 | PL11170 | PL11608 | PL11608 | PL11170 | PL11170 | PL13717 | PL10821 |
|---------|----------|----------------|----------------------|---------------------|---------------------|--------------------|-----------|
| SUGAR | WHITENER | INSTANT COFFEE | INSTANT DECAF COFFEE | SOLUBLE PRODUCT (1) | SOLUBLE PRODUCT (2) | CAPPUCCINO TOPPING | CHOCOLATE |

| REF# | PART # | DESCRIPTION |
|------|------------|---|
| 1 | PL11608000 | CANISTER, 67W (NO AGITATOR) X 460H (Used for the SUGAR & FREEZE DRIED COFFEE & DECAF) |
| 2 | PL11170000 | CANISTER 67W x 460H with AGITATOR (Used for the WHITENER and SOLUBLE #1 & #2) |
| 3 | PL13717000 | CANISTER, RH, 137D x 460H (Used for the CAPPUCCINO TOPPING ONLY) |
| 4 | PL10821000 | CANISTER, LH x 137 x 460H (Used for CHOCOLATE ONLY) |

(606) SOLUBLE CANISTER CONFIG. 3 SOLUBLES OPTION w/o DECAF




| REF# | PART# | DESCRIPTION |
|------|------------|--|
| 1 | ***** | CANISTER ASSY., #'s 1 thru 8 (see page 14) |
| 2 | ***** | CMS MIXING SYSTEM (see page 29 & 30) |
| 3 | ***** | NESTLÉ MIXING SYSTEM (see page 31) |
| 4 | MT14465000 | BLANKING PLATE, WHIPPER (LARGE) |
| 5 | MT13766000 | BLANKING PLATE, WHIPPER (SMALL) |
| 6 | MT14710340 | MODULE, EXTRACT TRAY, 3 SOLUBLES |

(606) SOLUBLE CANISTER ASSEMBLIES 3 SOLUBLE OPTION w/o DECAF

| PL11608 | PL11170 | PL11170 | PL11170 | PL11170 | PL11170 | PL13717 | PL10821 |
|---------|----------|----------------|---------------------|---------------------|---------------------|--------------------|-----------|
| SUGAR | WHITENER | INSTANT COFFEE | SOLUBLE PRODUCT (1) | SOLUBLE PRODUCT (2) | SOLUBLE PRODUCT (3) | CAPPUCCINO TOPPING | CHOCOLATE |

| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | PL11608000 | CANISTER, 67W (NO AGITATOR) X 460H (Used for the SUGAR & FREEZE DRIED COFFEE & DECAF) |
| 2 | PL11170000 | CANISTER 67W x 460H with AGITATOR (Used for the WHITENER and SOLUBLE #1 & #2) |
| 3 | PL13717000 | CANISTER, RH, 137D x 460H (Used for the CAPPUCCINO TOPPING ONLY) |
| 4 | PL10821000 | CANISTER, LH x 137 x 460H (Used for CHOCOLATE ONLY) |

(607) B2C CANISTER CONFIGURATION




| REF# | PART# | DESCRIPTION |
|------|---------------|--|
| 1 | PL14258000 | HOPPER, BEAN, ROUND - 3lb. |
| 2 | MO10955000 | GRINDER & MOTOR 120VAC - VOCE SP |
| 3 | 613ME13414000 | BREWER ASSY. , OLTRE 83MM, COMPLETE (see page 34 & 35 for details) |
| 4 | 613MT14400000 | WASTE CHUTE, OLTRE BREWER, RH |
| 5 | ME13592001 | PERISTALTIC PUMP ASSY 24VDC |
| 6 | MT14465000 | BLANKING PLATE, WHIPPER (LARGE) |
| 7 | MT13766000 | BLANKING PLATE, WHIPPER (SMALL) |
| 8 | ***** | CMS MIXING SYSTEM (see page 29 & 30) |
| 9 | 613MT13914340 | MODULE EXTRACT TRAY (TFB) |
| 10 | ***** | CANISTER ASSY., #'s 1 thru 8 (see page 16) |

(607) B2C CANISTER ASSEMBLIES

| PL11608 | PL11170 | PL11170 | PL11170 | PL11170 | PL11170 | PL11608 | PL11172 | PL14258 |
|---------|----------|--------------------|-----------|---------------------|---------------------|--------------|-------------------|--------------|
| SUGAR | WHITENER | CAPPUCCINO TOPPING | CHOCOLATE | SOLUBLE PRODUCT (1) | SOLUBLE PRODUCT (2) | DECAF COFFEE | GROUND COFFEE (1) | COFFEE BEANS |

| REF# | PART# | DESCRIPTION |
|------|------------|--|
| 1 | PL11608000 | CANISTER, 67MM (NO AGITATOR), (Used for SUGAR & FREEZE DRIED COFFEE) |
| 2 | PL11170000 | CANISTER 67W x 460H with AGITATOR (Used for the WHITENER, CAPPUCCINO TOPPING, CHOCOLATE, and SOLUBLES #1 & #2) |
| 3 | PL11172000 | CANISTER, 67MM-C/W AGITATOR & SS (Used for FRESH BREW GROUND COFFEE) |
| 4 | PL14258000 | HOPPER, BEAN, ROUND - VOCE SP (Used for FRESH BREW COFFEE BEANS) |

(607*) SBC CANISTER CONFIGURATION



| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | CR0026531 | CANISTER w/BRACKET, BEAN, LARGE - 8lb. (used for SBC Level 3 Bean Coffee) |
| 2 | PL10856000 | CANISTER, 42 x 183 x 460H (used for SBC Level 4 Coffee) |
| 3 | PL11170000 | CANISTER, 67W x 460H with AGITATOR (used for Whitener, Cappuccino Topping, Chocolate, French Vanilla, Caramel & Hazelnut) |
| 4 | PL11608000 | CANISTER, 67W x 460H (used for Sugar) |
| * | ***** | CANISTER ASSY., #'s 1 thru 9 (see page 18) |
| NOTE | **** | All other parts for the SBC configuration remain the same as the Standard 607 B2C. The only exceptions are the Canister Assemblies. |


(607*) SBC CANISTER ASSEMBLIES

| PL11608 | PL11170 | PL11170 | PL11170 | PL11170 | PL11170 | PL11170 | PL10856 | CR0026531 |
|---------|----------|-------------------|-----------|--------------------------|-------------------|---------------------|---------------|---------------|
| Sugar | Whitener | othey Topping Mix | Chocolate | French Vanilla Cappuccir | CaramelCappuccino | Hazelnut Cappuccino | SBC - Level 4 | SBC - Level 3 |
| | | Fro | | Fre | | Ĭ | | Grinder |

NOTE: SBC Canisters are Product specific as set by our agreement with SEATTLE'S BEST

- 1. Sugar 7.9 lbs. (3.6 kg)
- 2. Creamer 5.8 lbs. (2.6 kg)
- 3. Cappuccino Topping 4.8 lbs. (2.2 kg)
- 4. Chocolate 6.5 lbs. (2.9 kg)
- 5. Flavor #1 gourmet soluble 6.5 lbs. (2.9 kg)
- 6. Flavor #2 gourmet soluble 6.5 lbs. (2.9 kg)
- 7. Flavor #3 gourmet soluble 6.5 lbs. (2.9 kg)
- 8. FG or Decaf Coffee 2.1 lbs. (1.0 kg)
- 9. Whole Bean Coffee 7.7 lbs. (3.5 kg)


(607) B2C GRINDER ASSY.



(607) B2C GRINDER ASSY.


| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | MO10955000 | GRINDER & MOTOR - 120VAC |
| 2 | CR0024839 | SUPPORT BRACKET, BEAN CANISTER |
| 3 | FA01502000 | SCREW, M4 X 6 POZI PAN |
| 4 | ME10988000 | M/F BOBBIN MOUNT M4 |
| 5 | FA01506000 | NUT, M4 HEX FULL |
| 6 | FA04422000 | M4 STEEL EXT. SHAKE PROOF WASHER |
| 7 | 80030438 | SCREW, R, 8-32 x 3/8 TYPE 1, HEX WASHER B |
| 8 | CR0024838 | COVER GRINDER MODULE |
| 9 | CR0024841 | MODULE, GRINDER |
| 10 | CR0024849 | MOUNTING BRACKET - GRINDER MOTOR |
| 11 | FA04340000 | SCREW, M4 X 16 POZI PAN REC |
| 12 | CR0026395 | CANISTER CHUTE, RH - LONG |
| 13 | PL14169000 | TRANSITION CHUTE, GRINDER |
| *** | LO14225000 | LOOM, GRINDER - VOCE (see page 41) |
| *** | CR0024836 | MODULE, INFILL (see page 42) |
| *** | FA05643000 | BLANKING PLUG 30MM (see page 40) |
| | | *** INDICATES NOT SHOWN IN DRAWING |

SUREVEND™ EMITTER SENSOR



| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | EL13152000 | PCB CUP SENSOR - VOCE SP (sold as a pair) |
| 2 | PL13779000 | BRACKET, SUREVEND RH - VOCE SP |
| 3 | PL13134000 | LENS CUP SENSOR - VOCE SP |
| 4 | FA13304000 | SCREW, K40 X 10 PT TORX - VOCE SP |


$\mathbf{SUREVEND^{\mathsf{TM}}\ DETECTOR}, \, \mathbf{RH}$



| REF# | PART# | DESCRIPTION |
|------|------------|---|
| 1 | EL13152000 | PCB CUP SENSOR - VOCE SP (sold as a pair) |
| 2 | PL13778000 | BRACKET, SUREVEND - LH |
| 3 | PL13134000 | LENS CUP SENSOR - VOCE SP |
| 4 | FA13304000 | SCREW, K40 X 10 PT TORX - VOCE SP |


A FRESH APPROACH TO VENDING

ELECTRONICS PANEL



| REF# | PART# | DESCRIPTION |
|------|---------------|--------------------------------------|
| 1 | EL13059001 | I/O BOARD VOCE MEDIA |
| 2 | EL14585000 | POWER SUPPLY, SMPSU 24VDC |
| 3 | EL13165000 | POWER SUPPLY, SMPSU 12VDC |
| 4 | 613EL13175000 | FILTER MAINS - IEC TYPE |
| 5 | MT13077000 | PLATE - I/O CIRCUIT BOARD |
| 6 | FA01498000 | POZI PAN SCREW, M3 x 6 |
| 7 | FA11774000 | SELF-LOCKING NUT, M3 |
| 8 | FA04431000 | SCREW, M5 x 10 TAPTITE POZI PAN HEAD |


FUSE & RELAY PANEL



| REF# | PART# | DESCRIPTION |
|------|---------------|--------------------------------------|
| 1 | LO13653001 | EVO/INF PSU LOOM - INSTANT / FB VOCE |
| 2 | 613EL01152002 | HEATER RELAY SSR, 25A |
| 3 | EL13490000 | PAD, SSR HEAT TRANSFER |
| 4 | MT13078000 | BRACKET, PSU |
| *5 | EL01994000 | GENERIC FUSE HOLDER ASSY. |
| 5a | EL01995000 | FUSE, 12A - 250V |
| 5b | EL0277000 | FUSE, 4A |
| 5c | EL14845000 | FUSE, 3.2A / 250V SLO-BLOW |

A FRESH APPROACH TO VENDING


DISPENSE HEAD ASSEMBLY



DISPENSE HEAD ASSEMBLY

| REF# | PART# | DESCRIPTION |
|------|-----------------|-------------------------------------|
| *** | VM DISP HEAD US | VM DISPENSE HEAD - US ASSY. |
| 1 | MT10695000 | CHANNEL, DISPENSE HEAD |
| 2 | 613EL04920000 | SWITCH & LEVER, CHERRY DISP HEAD |
| 3 | 613EL10036000 | OPTO DEVICE, DISPENSE HEAD SV |
| 4 | 613MO10794000 | MOTOR, 24VDC, 50 RPM |
| 5 | MT10696080 | FRONT COVER, DISPENSE HEAD |
| 6 | MT10694000 | BODY, DISPENSE HEAD |
| 7 | PL10035000 | RACK, MOULDING, DISPENSE HEAD |
| 8 | MT10697000 | CODE ANGLE, DISPENSE HEAD |
| 9 | MT13826250 | DISPENSE HEAD ARM |
| 10 | MT14110290 | CLAMPING PLATE - DISPENSE HEAD - US |
| 11 | FA11770000 | M5 NYLOC STAINLESS STEEL NUT |
| 12 | PL13345000 | DISPENSE HEAD MOULDING |
| 13 | MT14107290 | BLANKING PLATE DISPENSE HEAD - US |
| *** | PH05501000 | NOZZLE SET MOULDED * |
| *** | LO11751000 | DISPENSE HEAD LOOM * |
| *** | 613LO14635000 | MOTOR LINK C/N 100nF CAP * |
| | * INDICATES | ITEMS THAT ARE NOT ILLUSTRATED |


TURRET and CDU ASSEMBLY



TURRET and CDU ASSEMBLY

| REF# | PART # | DESCRIPTION |
|------|----------------|---|
| 1 | (a) CR0025221 | TURRET LID, 5 stack (90mm cups) |
| | (b) CR0025222 | TURRET LID, 6 stack (80mm cups) |
| | (c) PL13839000 | TURRET LID, 7 stack (70/73mm cups) |
| 2 | (a) PL13873000 | TUBE, 12oz. / 16oz. TURRET, VOCE - (SMR CUPS) |
| | (b) PL13842001 | TUBE, 12oz. TURRET, VOCE - (SVS CUPS) |
| | (c) PL13840001 | TUBE, TURRET 7oz./8oz./9oz VOCE (SVR CUPS) |
| 3 | (a) PL13844000 | CAROUSEL, 5 STACK 306mm, VOCE - SP |
| | (b) PL13836000 | CAROUSEL, 6 STACK INSERT - VOCE SP |
| | (c) PL13703000 | CAROUSEL, 7 STACK 306mm - VOCE SP |
| 4 | FA04340000 | SCREW, M4 x 16 POZIPAN REC |
| 5 | PL13692000 | CAROUSEL PIN TOP |
| 6 | PL13702000 | CAROUSEL PLATE 306mm |
| 7 | PL01973000 | PT PAN SCREW - M4 x 20 |
| 8 | CR0026350 | BRACKET, CDU MOUNT, VOCE |
| 9 | PL13843000 | 80mm (12oz.) CUP THROAT (not used on 2a) |
| 10 | ME14045000 | CDU ASSEMBLY |
| 11 | (a) PL14475000 | CUP REDUCING RING (70/73mm) |
| 11 | (b) PL14476000 | CUP REDUCING RING (80mm) |
| * | CR0023497 | CDU & TURRET, 6 STACK ASSEMBLY-COMPLETE |
| * | CR0023572 | CDU & TURRET, 5 STACK ASSEMBLY-COMPLETE |
| * | CR0023573 | CDU & TURRET, 7 STACK ASSEMBLY-COMPLETE |


CMS WHIPPER MIXING SYSTEM



CMS WHIPPER MIXING SYSTEM


| REF# | PART# | DESCRIPTION |
|------|---------------|-------------------------------------|
| * | ***** | CMS WHIPPER MIXING SYSTEM |
| 1a | ME14043000 | MIXING BOWL, SINGLE INLET - VOCE SP |
| 1b | 613ME14044000 | DUAL INLET MIXING BOWL - VOCE SP |
| 2 | PL13725000 | STEAM HOOD, CMS MIXING SYSTEM |
| 3 | ME14548000 | ASSY, ADAPTOR BOWL - VOCE SP |
| 4 | ME13729 | CMS MIXING SYSTEM, MOTOR ASSY. |
| 5 | PL13728000 | SEAL, WHIPPER BOWL |
| 6 | PL13723000 | IMPELLER, CMS MIXING SYSTEM |

NESTLÉ WHIPPER MIXING SYSTEM



| REF# | PART # | DESCRIPTION | |
|------|-----------|-----------------------------------|--|
| * | ***** | NESTLÉ MIXING SYSTEM | |
| 1 | 6927003 | IMPELLER - WHIPPER - BLACK | |
| 2 | 6927004 | BULKHEAD - MIXING BOWL | |
| 3 | 6927005 | MIXING BOWL-WHIPPER HOUSING-BLACK | |
| 4 | 6927006 | CAP - MIXING BOWL - BLACK | |
| 5 | CR0013658 | CASIC - WHIPPER MOTOR ASSY. | |
| 6 | CR0021640 | COLLAR, LOCKING, WHIPPER | |


WATER TANK ASSEMBLY



WATER TANK ASSEMBLY


| REF# | PART# | DESCRIPTION |
|------|---------------|--|
| 1 | 613ME04550000 | PROBE ASSY, LEVEL, TOP |
| 2 | SI06340000 | SEAL PORT, THERMISTOR |
| 3 | 613EL10954000 | BOILER, TEMPERATURE CUT-OUT |
| 4 | MT14667000 | BOILER, LID |
| 5 | 613SI10627960 | BOILER SEAL, 8 PORT, BOILER |
| 6 | BA14666000 | A, BOILER, 8 PORT, REV INLET VOCE SP |
| 7 | VA03377002 | SEAL PORT, VALVE, (A.u.K MÜLLER) |
| 8 | VA10148002 | VALVE DISPENSE, 24VDC (A.u.K MÜLLER) |
| * | VA01838A00 | VALVE, DISPENSE, REPAIR/REBUILD KIT (A.u.K MÜLLER) |
| * | 6050002 | KIT, VALVE & SEAL (A.u.K MÜLLER) |
| 9 | 613EL03112000 | PROBE THERMISTOR |
| 10 | SI06340000 | SEAL, BOILER, BLANK (has Hole for Probe) |
| 11 | FA01185000 | SNAPPER CLIP, 30 |
| 12 | 613SI01171960 | SILICON PIPE, 8MM x 12.5MM |
| 13 | FA03227000 | UNIX CLIP, 19MM |
| 14 | ME03024001 | HOLDER, SENSOR 3 HOLES |
| 15 | 613EL03378000 | TEMPERATURE CUT-OUT |
| 16 | SI01142960 | SILICON PIPE, 12MM x 16MM |
| 17 | 613EL13888000 | ELEMENT, 1200W, 120VAC - USA |
| * | SI08276000 | SEAL, BOILER, BLANK (NO HOLE) |
| * | BA14364000 | PAD, INSULATION WRAP-A-ROUND |
| * | SI04345960 | PIPE, SILICONE 6MM / 9.5MM |
| * | 3618123 | TUBING-U.KAQUAVEND375 ID (this is the tubing from the Water Inlet Valve to the Tank Lid Assy.) |

OLTRE BREWER - FRESHBREW USA




OLTRE BREWER - FRESHBREW USA

| REF# | PART# | DESCRIPTION |
|------|---------------|--|
| 1 | 613ME13414000 | BREWER ASSY., OLTRE 83MM, COMPLETE |
| 2 | 613PL13454000 | STEAM TRAP FOR BREWER |
| 3 | PL13455 | MIXING BOWL |
| 4 | 613PL13456000 | ADAPTOR, BOWL |
| 5 | MO13457 | CASIC MOTOR, 24VDC, ZYT28T-CS-014 |
| 6 | PL13452 | SHAFT, GEAR MTR, DRIVES SUPPORT CHAMB. |
| 7 | PL13450000 | CLEANING RIBBON (RIGHT SIDE ONLY) |
| 8 | ME15106000 | OLTRE BREWER DRIVE ROLLER, KIT |
| 9 | PL13451000 | RELEASE HANDLE |
| 10 | 613PL13478000 | SPOUT ID6 FOR COFFEE |
| 11 | 613ME13463000 | COFFEE BELT ASSY 83MM |
| 12 | 613ME13480000 | COFFEE BELT FILTER- SINGLE (PART OF #11) |
| 12 | 613ME13713000 | COFFEE BELT FILTER- 6 PACK (PART OF #11) |
| 13 | 613PL13469000 | LOWER CHAMBER ASSY., COFFEE ID83 |
| * | LO13496 | BREWER LOOM (not shown) |
| * | 613ME13438000 | O-RING FOR SPOUT ELBOW (PART OF #10) |



| REF# | PART# | DESCRIPTION |
|------|---------------|--|
| 1 | MT14287000 | MOUNTING BRACKET, EXTRACT FAN |
| 2 | 613ME10956000 | EXTRACT FAN, 120VAC, USA |
| 3 | HO01139000 | HOSE, DUCTING RIBBED BLACK (a total of 34 Inches are needed) |
| 3a | | 1 - 9" (goes from the Extract Fan to the Tee) |
| 3b | | 1 - 9" (goes from the Tee to the Left-hand side of the Exhaust Tray) |
| 3c | | 1 - 16" (goes from the Tee to the Right-hand side of the Exhaust Tray) |
| 4 | FA01188000 | CABLE TIE |
| 5 | PL03083000 | EXTRACT HOSE ADAPTOR |
| 6 | PL04165000 | 'T' PIECE - 11/4" |
| * | ME10944000 | MESH SCREEN, 14 x 14, 0.02" (see page 38) |

LIQUID & GROUNDS BUCKETS / FLOOR LINER



| REF# | PART# | DESCRIPTION | | |
|------|------------|-----------------------------|--|--|
| 1 | PL06672000 | BUCKET, 24L FB WASTE - GREY | | |
| 2 | PL01172000 | BUCKET, 9L, SILVER | | |
| 3 | CR0027483 | MODIFIED VOCE FLOOR LINER | | |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|--|---------------|---|
| 1 | RATIFICAL DELICATION OF THE PARTY OF THE PAR | 6118071 | EVERPURE CARTRIDGE WATER - FILTER - 4H |
| 2 | O | 6738047 | HYDRO LIFE HLV192AD ADAPTER KIT |
| 3 | | 3158023 | BRACKET-MOUNTING-WATER FILTER |
| 4 | 0 | 1679056 | HARNESS, DEX INTERFACE |
| 5 | 0 | FA04301000 | M4 x .7 KNURLED THUMB NUT |
| 6 | | ME03333000 | KEY, CASH BOX #300245 |
| 7 | JO | 613PL04589000 | CUP STAND |
| 8 | | CR0023374 | BEZEL, CARD READER BLANK |
| 9 | | CR0023375 | BRACKET, BLANK SWIPE |
| 10 | | 3104056 | STRAIN RELIEF BUSHING - HEYCO |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|-------|------------|---|
| 11 | 9 | FA03262000 | M4 SELF-LOCKING NUT, NYLOC |
| 12 | U | EL14779000 | PCB, ATM, BUTTON ASSY. (WHITE LED'S) |
| 13 | Î | FA11188000 | M4 x 35 POZI PAN SCREW |
| 14 | | FA01498000 | M3 x 6 POZI PAN REC. SCREW |
| 15 | | FA01505000 | M5 x 6 PAN HEAD SCREW |
| 16 | O | FA02142000 | M5 EXT. CER. S/PROOF 11 ZP |
| 17 | | FA03124000 | M8 FULL NUT HEX XP |
| 18 | 0 | FA03126000 | M8 SPRING TYPE 'A' WASHER |
| 19 | Ø | FA03197000 | M4 EXT. SHAKEPROOF WASHER |
| 20 | 0 | FA03215000 | M8 STEEL FORM 'A' WASHER ZP |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|-------|------------|-----------------------------|
| 21 | | FA04320000 | SPIRAL WRAP - PLASTIC |
| 22 | | FA04431000 | M5 x 10 TAPTITE POZI PAN HD |
| 23 | | FA05643000 | BLANKING PLUG 30MM |
| 24 | | FA07905000 | FIR TREE BUTTON BLACK |
| 25 | T | FA14699000 | M4 x 25 POZI PAN REC. SCREW |
| 26 | | FA13304000 | SCREW, K40 x 10 PT TORX |
| 27 | 0 | FA13305000 | NUT, M5 HEX, FLANGED NYLOC |
| 28 | | FA13359000 | 'D' TYPE SCREW LOCK SET |
| 29 | | FA13683000 | TWIST LOCK C/W STANDOFF |
| 30 | | FA13838000 | M8 x 20 CSK SKT BZP |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|--|------------|---|
| 31 | | FA14036000 | FOOT BUCKET STOP |
| 32 | | FA14965000 | GROMMET RUBBER SEMI BLIND |
| 33 | 5 | ME10988000 | M/F BOBBIN MOUNT M4 |
| 34 | | GR13141000 | FACIA, FLAP COIN, STAINLESS |
| 35 | \Diamond | CR0025177 | GASKET, 8.4" LCD DISPLAY (25 inches needed) |
| 36 | OBLIFFS OBLIFFS | LO15068000 | HARNESS, MEDIA ATM LOOM |
| 37 | | CR0025331 | MAINS LEAD IEC - USA |
| 38 | | LO14225000 | LOOM GRINDER - VOCE |
| 39 | | LO15769000 | ATM COMMS LOOM |
| 40 | STATE OF THE PROPERTY OF THE P | LO15067000 | HARNESS, MEDIA DOOR LOOM |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|-------|--------------------------------|--|
| 41 | | 613ME13480000 613ME13713000 | COFFEE BELT FILTER-SINGLE COFFEE BELT FILTER-6 pack |
| 42 | | ME14955000 | CONNECTOR 3/8" TUBE x 1/4" |
| 43 | | ME14956000 | ELBOW 3/8" TUBE x 3/8" STEM |
| 44 | Í | HO03674001 | SPRAY HEAD HOSE ASSY. |
| 45 | | CR0024836 | MODULE INFILL |
| 46 | | CR0024968 | ASSY., BRACKET, CUP STAND |
| 47 | 5 | CR0024845 | ASSY., PLATE, COVER |
| 48 | | CR0024832 | A, BRACKET, CDU MOUNTING with PEM |
| 49 | | CR0025933 | BRACKET, DISPLAY MOUNTING with PEM |
| 50 | 7 | CR0026548 | ASSY., CUP CATCHER |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|-------------|------------------------|---|
| 51 | | CR0025138 CR0025162 | PLATE, CARD READER MOUNTING ASSY., VALIDATOR |
| 52 | 4 | CR0024837 | BAND, TURRET, CDU |
| 53 | | CR0024824 | COVER, LH, ATM - VOCE MEDIA |
| 54 | 400 | CR0024825 | COVER, RH, ATM - VOCE MEDIA |
| 55 | O Section 1 | PL01973000 | SCREW, M4 X 20 PT PAN |
| 56 | | PL10274000 | GRILL DRIP TRAY |
| 57 | | PL15121000 | VEND AREA, 90MM |
| 58 | | PL13776000 | BRACKET CUP CATCHER |
| 59 | 1 | PL13147000 | CLIP, CUP CATCHER |
| 60 | | PL13802000 | DRIP TRAY VOCE ROUTING |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|---|------------|-------------------------------|
| 61 | | PL11696000 | BUNG, CANISTER |
| 62 | | PL13140000 | COIN FLAP |
| 63 | | PL13784000 | GLASS FIXING WASHER |
| 64 | | PL14578000 | BEZEL, BLANKING PANEL |
| 65 | | CR0025159 | ASSY., CARD READER MOUNTING |
| 66 | | CR0025912 | DECAL SET, INTERIOR-ENGLISH |
| 67 | CALITION HOT BEVERAGE SMANNEWS USE CARE | PR14282000 | LABEL, CAUTION - HOT BEVERAGE |
| 68 | PRECAUCION SUPERFICIES CALIENTES CAUTION HOT SURFACES | 6921108 | LABEL, CAUTION HOT SURFACE |
| 69 | | 6920051 | LABEL, BACKFLOW PROTECTION |
| 70 | | PA13650000 | TUBING, PERISTALTIC PUMP |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|--|------------|---|
| 71 | A JAVISON LED TEMBORS BELLEGISTA A WARNING HEATTEN AND STREET BEAUTION AND STREET BEAU | 6921104 | LABEL, WARNING, HIGH VOLTAGE |
| 72 | MANAGE (Species) MANAGE (Spec | 80388542 | LABEL, R, NOTICE, GFCI, EQUIPMENT MACHINE |
| 73 | Wildrights Wildri | 80388518 | LABEL, R, WARNING GFCI POWER CORD, ENGLISH |
| 74 | | CR0024850 | NUT, RIVET, M4 x 0.7 |
| 75 | | ME04373000 | PILE WEATHER STRIP-GREY |
| 76 | | FA01502000 | SCREW, M4 X 6 POZI PAN Z.P. |
| 77 | | FA04422000 | M4 STEEL EXT SHAKEPROOF |
| 78 | | FA01506000 | NUT, M4 HEX FULL |
| 79 | | FA04340000 | SCREW, M4 x 16 POZIPAN REC |
| 80 | P | 80030534 | SCREW, (used on Grinder Assy.) |

| REF# | IMAGE | PART # | DESCRIPTION |
|------|-------|-----------|--|
| 81 | | CR0026406 | SUPPORT BRACKET, (for 8lb. Bean Canister) |
| 82 | | 1870850 | K, LINE SOLO CDMA, VERIZON |
| 83 | | 6738051 | FILTER HEAD, EVERPURE, #9259-24A |
| 84 | | 1679054 | MDB HARNESS, COIN & VALIDATOR |
| 85 | | 6732247 | BOLT-TEE #8-32 x 1.375 |
| 86 | | CR0025240 | SPACER, CUP RING ARM |
| 87 | | CR0025242 | NUT, THUMB, CUT RING |
| 88 | 0 | 4042121 | WIRE TIE - #PLT1M-M20 |
| 89 | | CR0026225 | PLATE, w/PEM, MOUNTING |
| 90 | | CR0026333 | BRACKET, TRANSITION, INTEGRATED |

| REF# | IMAGE | PART # | DESCRIPTION |
|------|--|------------|---|
| 91 | | 80490261 | GROUND, R, WIRE 4in. GREEN |
| 92 | The same of the sa | CR0028660 | ASSY., PCB, LED |
| 93 | | CR0026222 | BRACKET, LED, INTEGRATED |
| 94 | (Ja | 80190380 | STANDOFF, R, RICOH, RL |
| 95 | | AP4200096 | CABLE CLAMP, SELF ADHESIVE |
| 96 | (| CR0025245 | BRACKET, with PEM, (for attaching Polycarbonate Door) |
| 97 | | ME10944000 | MESH SCREEN for EXHAUST FAN |
| 98 | | PL14475000 | CUP REDUCER RING, 70-73mm |
| 99 | 0 | PL14476000 | CUP REDUCER RING, 78-80mm |
| 100 | | MA15717000 | CABINET CANISTER FILL, BRACKET ASSY. |

| REF# | IMAGE | PART # | DESCRIPTION |
|------|---------------------|------------|--|
| 101 | | EL13158002 | ATLAS PCB, VOCE MEDIA w/FIRMWARE |
| 102 | | PL13774000 | TRAY, VEND AREA |
| 103 | | ME01859000 | CASHBOX, LOCK & KEY |
| 104 | | MT06635 | LOCK CAM, CASHBOX |
| 105 | ent distance in the | AP420295 | CARRIAGE BOLT - SHORT |
| 106 | | CR0026526 | STANDOFF, MALE-FEMALE |
| 107 | @ \$ | CR0027629 | VALVE, CHECK, DUAL 3/8" |
| 108 | 1 | FA01118800 | M4 x 35 POZI PAN SCREW |
| 109 | | CR0025502 | BRACKET, CANISTER ALIGNMENT, (SBC option) |
| 110 | • | CR0028215 | PLATE ASSY., FILTER HEAD |

| REF# | IMAGE | PART# | DESCRIPTION |
|------|--|------------|---|
| 111 | | CR0026529 | NUT, M5 x 0.8, 2.7MM, THK |
| 112 | VOCE MEDIA Converting a Great for an Propositioner | 6056006 | KIT, CONVERTING GLASS TO POLYCARBONATE |
| 113 | 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 | EL10025002 | PROGRAMMING KEYPAD |
| 114 | | CR0026399 | COVER, ATLAS BOARD |
| 115 | | MT15089 | ATLAS 'G' MOUNTING PLATE |
| 116 | | CR0014114 | ASSY, PCB, LED DRIVER, GLOBAL |
| 117 | | | |
| 118 | | | |
| 119 | | | |
| 120 | | | |

MISC. NUTS, SCREWS & WASHERS

| PART# | DESCRIPTION |
|------------|------------------------------|
| FA10203000 | NUT, M3 NYLOC |
| FA01499000 | NUT, M3 PLAIN ZP |
| FA01498000 | SCREW, M3 X 6 POZI PAN |
| FA10205000 | SCREW, M3 X 10 POZI PAN |
| FA05206000 | SCREW, M3 X 16 CSK |
| FA01503000 | CREW, M3 X 16 POZI PAN |
| FA04422000 | WASHER, M4 SHAKEPROOF |
| FA01501000 | WASHER, M4 PLAIN |
| FA01506000 | NUT, M4 HEX FULL |
| FA03262000 | NUT, M4 SELF-LOCK NYLOC |
| FA03289000 | NUT, M4-0.7 JAM NUT 2 |
| FA01502000 | SCREW, M4 X 6 POZI PAN ZP |
| FA02431000 | M4 X 8 POZI PAN STAINLESS |
| FA10807000 | SCREW, M4 X 10 LG POZI PAN |
| FA01504000 | SCREW, M4 X 10 POZI PAN |
| FA01143000 | SCREW, M4 X 10 SET STAINLESS |
| FA07111000 | SCREW, M4 X 10 THUMB |
| FA04340000 | SCREW, M4 X 16 POZI PAN REC |
| FA02029000 | SCREW, M4 X 20 POZI PAN |
| FA04301000 | NUT, M4 x .7 KNURLED THUMB |

MISC. NUTS, SCREWS & WASHERS

| PART# | DESCRIPTION |
|------------|-----------------------------|
| FA01507000 | WASHER, M5 PLAIN |
| FA01555000 | WASHER, M5 SHAKEPROOF - SS |
| FA01508000 | NUT, M5 FULL ZP |
| FA01683000 | NUT, M5 NYLOC ZP |
| FA13305000 | NUT, M5 FLANGED NYLOC |
| FA01509000 | SCREW, M5 X 10 POZI PAN |
| FA04431000 | SCREW, M5 X 10 TAPTITE |
| FA05210000 | SCREW, M5 X 10 CHEESE HEAD |
| FA01682000 | SCREW, M5 X 16 POZI PAN |
| FA10863000 | BOLT, M5 X 25 CARRIAGE |
| FA01416000 | NUT, M5 SKIFFY THUMB |
| FA01561000 | WASHER, 1/4 ZP PLAIN |
| FA01487000 | FASTON CONNECTOR-1/4" |
| FA01488000 | FASTON CONNECTOR BOOT-1/4 " |
| FA01489000 | SPADE CONNECTOR-/4" |
| FA14890000 | SPADE CONNECTOR BOOT |
| FA01188000 | CABLE TIE-MEDIUM |
| FA01860000 | CABLE TIE-SMALL |
| FA01189000 | CABLE TIE HOLDER |
| FA10222000 | PCB SUPPORT |
| FA03227000 | UNEX CLIP 19MM |

| PART# | DESCRIPTION | PAGE |
|---------------|--|-------|
| 1236050 | SWITCH, DOOR | 8 |
| 1671090 | COIN BOX | 6 |
| 1679054 | HARNESS, "MDB" COIN & VALIDATOR | 46 |
| 1679056 | HARNESS, DEX INTERFACE | 38 |
| 1870850 | K, LINE SOLO CDMA VERIZON RADIO | 46 |
| 3104056 | STRAIN RELIEF BUSHING - HEYCO | 38 |
| 3158023 | BRACKET, MOUNTING, WATER FILTER | 38 |
| 3618123 | TUBING - U.K AQUAVEND375 ID | 33 |
| 4042121 | TIE, WIRE, PLASTIC, #1M-M20 | 46 |
| 6050002 | KIT, VALVE & SEAL (A.u.K. MÜLLER) - 24VDC | 8, 33 |
| 6050006 | KIT, GLASS TO POLYCARBONATE | 49 |
| 6118071 | CARTRIDGE - WATER - FILTER - 4H EVERPURE | 8, 38 |
| 6408134 | FILTER HEAD, EVERPURE | 8 |
| 6732247 | BOLT-TEE #8-32 X 1.375, LARGE | 46 |
| 6738047 | HYDRO LIFE HLV192AD ADAPTER KIT | 8, 38 |
| 6738051 | FILTER HEAD, EVERPURE, #9259-24A | 46 |
| 6920051 | LABEL, BACKFLOW PROTECTION | 44 |
| 6921104 | LABEL-WARNING-HI VOLTAGE-SP/ENG | 45 |
| 6921108 | LABEL, CAUTION-HOT SURFACE-SP/ENG | 44 |
| 6927003 | IMPELLER - WHIPPER - BLACK (NESTLÉ) | 31 |
| 6927004 | BULKHEAD - MIXING BOWL (NESTLÉ) | 31 |
| 6927005 | MIXING BOWL - WHIPPER HOUSING - BLACK (NESTLÉ) | 31 |
| 6927006 | CAP - MIXING BOWL - BLACK (NESTLÉ) | 31 |
| 80030438 | SCREW, R, 8-32 x 3/8 TYPE 1 | 20 |
| 80030534 | SCREW, R, 8-32 x 5/16 PHILIPPS N TYPE W | 45 |
| 80190380 | STANDOFF, R, RICHCO, RLCBSR401SRB | 47 |
| 80388518 | LABEL, R, WARNING, GFCI, POWER CORD, ENGLISH | 45 |
| 80388542 | LABEL, R, NOTICE, GFCI, EQUIPMENT, MACHINE | 45 |
| 80490261 | GROUND, R, WIRE 4", GREEN/YELLOW | 47 |
| 613EL01152002 | HEATER RELAY SSR, 25A | 24 |

| PART# | DESCRIPTION | PAGE |
|---------------|---|-----------|
| 613EL03112000 | PROBE THERMISTOR | 33 |
| 613EL03378000 | TEMPERATURE CUT-OUT | 33 |
| 613EL04920000 | SWITCH & LEVER, CHERRY DISPENSE HEAD | 26 |
| 613EL10036000 | OPTO DEVICE, DISPENSE HEAD SV | 26 |
| 613EL10954000 | BOILER, TEMPERATURE CUT-OUT | 33 |
| 613EL13175000 | FILTER MAINS - IEC TYPE | 20 |
| 613EL13888000 | ELEMENT, 1200W, 120VAC - USA | 33 |
| 613LO14635000 | MOTOR LINK C/N 100nF CAP | 26 |
| 613ME04550000 | PROBE ASSY, LEVEL, TOP | 33 |
| 613ME10956000 | EXHAUST FAN, 120VAC, USA | 8, 35 |
| 613ME13414000 | BREWER ASSY., OLTRE 83MM, COMPLETE | 9, 15, 35 |
| 613ME13463000 | COFFEE BELT ASSY 83MM | 35 |
| 613ME13480000 | BELT FILTER-COFFEE, SINGLE | 42 |
| 613ME13713000 | BELT FILTER-COFFEE (6 PK) | 42 |
| 613ME14044000 | DUAL INLET MIXING BOWL | 30 |
| 613MO10794000 | MOTOR, 24VDC, 50 RPM | 26 |
| 613MT13039000 | BUCKET SUPPORT, SIDE RAIL | 8 |
| 613MT13914340 | MODULE, EXTRACT TRAY, (TFB) | 8, 9, 15 |
| 613MT14400000 | WASTE CHUTE, OLTRE BREWER, RH | 9,15 |
| 613PL04589000 | CUP STAND | 38 |
| 613PL13454000 | STEAM TRAP FOR BREWER (CMS MIXING SYSTEM) | 35 |
| 613PL13456000 | ADAPTOR CRANE | 35 |
| 613PL13469000 | LOWER CHAMBER ASSY., COFFEE ID83 | 35 |
| 613PL13478000 | SPOUT ID6 FOR COFFEE | 35 |
| 613SI01171960 | SILICON PIPE, 8MM, ID | 33 |
| 613SI10627960 | BOILER SEAL, 8 PORT, BOILER | 33 |
| 613VA11700000 | VALVE INLET 24V DC DOUBLE | 8 |
| AB DISP HEAD | COMPLETE DISPENSE HEAD ASSEMBLY | 20 |
| AP420096 | CABLE CLAMP-ADHESIVE BACK, 3/4 | 47 |
| AP420295 | BOLT, CARRIAGE 1/4-20 X 1/2 | 48 |

| PART# | DESCRIPTION | PAGE |
|------------|---|--------|
| BA14364000 | BOILER INSULATION PAD | 33 |
| BA14666000 | BOILER, 8 PORT, REV INLET | 33 |
| CR0012773 | INSERT, COIN RAMP - MERCHANT/BEVMAX-G | 4 |
| CR0013658 | CASIC - WHIPPER MOTOR ASSY (NESTLÉ) | 31 |
| CR0014114 | ASSY, PCB, LED DRIVER - GLOBAL | 6, 49 |
| CR0014768 | ASSY, CARD READER, AND MAGHEAD, G | 4 |
| CR0021640 | COLLAR, LOCKING, WHIPPER (NESTLÉ) | 31 |
| CR0023344 | CUP CATCHER, 90mm | 6 |
| CR0023374 | BEZEL, CARD READER BLANK | 38 |
| CR0023375 | BRACKET, BLANK SWIPE | 38 |
| CR0023497 | CDU & TURRET, 6 STACK ASSEMBLY-COMPLETE | 28 |
| CR0023572 | CDU & TURRET, 5 STACK ASSEMBLY-COMPLETE | 28 |
| CR0023573 | CDU & TURRET, 7 STACK ASSEMBLY-COMPLETE | 28 |
| CR0024823 | BUCKET STAND, VOCE | 8 |
| CR0024824 | COVER, LH ATM | 43 |
| CR0024825 | COVER, RH ATM | 43 |
| CR0024832 | BRACKET, CDU MOUNTING W/PEM | 42 |
| CR0024836 | MODULE, INFILL | 20, 42 |
| CR0024837 | BAND, TURRET, CDU | 43 |
| CR0024838 | COVER GRINDER MODULE | 20 |
| CR0024839 | SUPPORT BRACKET, BEAN CANISTER | 14, 20 |
| CR0024840 | PLATE, KICK | 4 |
| CR0024841 | MODULE, GRINDER | 20 |
| CR0024845 | ASSY, PLATE COVER | 42 |
| CR0024849 | MOUNTING BRACKET - GRINDER | 20 |
| CR0024850 | NUT, RIVET M4 X 0.7 | 45 |
| CR0024968 | ASSY, BRACKET, CUP STAND | 42 |
| CR0025138 | PLATE, CARD READER | 43 |
| CR0025159 | ASSY, CARD READER MOUNTING | 44 |
| CR0025162 | ASSY, VALIDATOR MOUNTING | 43 |

| PART# | DESCRIPTION | PAGE |
|-----------|---|-------|
| CR0025177 | GASKET, 8.4" LCD DISPLAY (25 inches needed) | 41 |
| CR0025221 | LID, TURRET, 5 STACK | 28 |
| CR0025222 | LID, TURRET, 6 STACK | 28 |
| CR0025225 | FULLY INTEGRATED, POLYCARBONATE/PSG | 4 |
| CR0025240 | SPACER, CUP RING ARM ADJUSTMENT | 46 |
| CR0025242 | NUT, THUMB, CUT RING ARM, ADJUSTMENT | 46 |
| CR0025245 | BRACKET, W/PEM, POLYCARBONATE DOOR | 47 |
| CR0025331 | POWER CORD, GFCI 15A | 41 |
| CR0025502 | BRACKET, CANISTER ALIGNMENT, (SBC option) | 48 |
| CR0025912 | DECAL, SET INTERIOR | 44 |
| CR0025933 | BRACKET, DISPLAY MOUNTING W/PEM | 42 |
| CR0026201 | STANDARD KNOCKOUT, POLYCARB/PSG | 4 |
| CR0026208 | 2 KNOCKOUT, POLYCARB/PSG | 4 |
| CR0026222 | BRACKET, LED INTEGRATED BEZEL | 47 |
| CR0026225 | PLATE W/PEM, MOUNTING, INTEGRATED BEZEL | 46 |
| CR0026333 | BRACKET TRANSITION INTEGRATED BEZEL | 46 |
| CR0026350 | BRACKET, CDU MOUNT, VOCE | 28 |
| CR0026395 | CANISTER CHUTE, RH - LONG | 20 |
| CR0026399 | COVER, ATLAS BOARD | 6, 49 |
| CR0026406 | BRACKET, B2C, CANISTER SUPPORT | 46 |
| CR0026526 | STANDOFF, MALE-FEMALE THREAD | 48 |
| CR0026529 | NUT, M5 X 0.8, 2.7MM THK | 49 |
| CR0026531 | CANISTER w/BRACKET, BEAN, LARGE - 8LB. | 17 |
| CR0026548 | ASSY, CUP CATCHER | 42 |
| CR0027431 | STANDARD KNOCKOUT W/NO COIN, POLYCARB/PSG | 4 |
| CR0027483 | LINER, FLOOR | 8, 37 |
| CR0027629 | VALVE, CHECK, DUAL 3/8 in. NPT | 48 |
| CR0028201 | BRACKET, DRIP CUP CATCHER | 6 |
| CR0028215 | PLATE ASSY, FILTER HEAD | 48 |
| CR0028398 | INTEGRATED W/STANDARD KNOCKOUT, POLYCARB | 4 |

| PART# | DESCRIPTION | PAGE |
|------------|---|--------|
| CR0028660 | BOARD, LED ACCENT | 47 |
| EL01994000 | GENERIC FUSE HOLDER ASSY. | 24 |
| EL01995000 | 12 AMP FUSE | 24 |
| EL0277000 | 4 AMP FUSE | 24 |
| EL10025002 | KEYPAD, PROGRAM, VOCE | 6 ,49 |
| EL13059001 | I/O BOARD (ATLAS) | 8, 23 |
| EL13152000 | PCB CUP SENSOR - VOCE SP (sold as a pair) | 21, 22 |
| EL13158002 | ATLAS PCB VOCE MEDIA | 6, 48 |
| EL13165000 | SMPSU 12 VDC POWER SUPPLY | 8, 23 |
| EL13490000 | PAD, SSR HEAT TRANSFER | 24 |
| EL13908000 | ASSY, LED STRIP UPPER - VOCE SP | 6 |
| EL13909000 | STRIP, LED LOWER - VOCE SP | 6 |
| EL14295000 | SCREEN 8.4" LCD - VOCE | 4 |
| EL14585000 | 24 VDC POWER SUPPLY | 8, 23 |
| EL14779000 | PCB ATM BUTTON ASSY. | 39 |
| EL14845000 | FUSE, 3.2A / 250V SLOW BLOW | 18 |
| FA01118800 | SCREW, M4 X 35 PZ PAN | 48 |
| FA01143000 | M4 X 10 SET SCREW, STAINLESS | 38 |
| FA01185000 | SNAPPER CLIP, 30 | 33 |
| FA01188000 | CABLE TIE, MEDIUM | 36 |
| FA01189000 | CABLE TIE HOLDER | 39 |
| FA01416000 | M5 SKIFFY THUMB NUT | 39 |
| FA01487000 | FASTON CONNECTOR, 1/4" | 39 |
| FA01488000 | FASTON CONNECTOR BOOT, 1/4 " | 39 |
| FA01489000 | SPADE CONNECTOR, 1/4" | 39 |
| FA01498000 | M3 x 6 POZI PAN REC. SCREW | 23, 39 |
| FA01499000 | M3 NUT PLAIN ZP | 38 |
| FA01501000 | M4 WASHER, PLAIN | 38 |
| FA01502000 | M4 X 6 POZI PAN Z.P. SCREW | 20, 45 |
| FA01503000 | M3 X 16 POZI PAN SCREW | 38 |
| FA01504000 | M4 X 10 POZI PAN SCREW | 38 |

| PART# | DESCRIPTION | PAGE |
|------------|--------------------------------------|------------|
| FA01505000 | M5 x 6 PAN HEAD SCREW | 39 |
| FA01506000 | M4 HEX FULL NUT ZP GRADE 8.8 | 20, 45 |
| FA01507000 | M5 WASHER, PLAIN | 39 |
| FA01508000 | M5 FULL NUT, ZP | 39 |
| FA01509000 | M5 X 10 POZI PAN SCREW | 39 |
| FA01555000 | M5 WASHER, SHAKEPROOF, SS | 39 |
| FA01561000 | 1/4 ZP PLAIN WASHER | 39 |
| FA01682000 | M5 X 16 POZI PAN SCREW | 39 |
| FA01683000 | M5 NYLOC NUT, ZP | 39 |
| FA01860000 | CABLE TIE SMALL | 39 |
| FA02029000 | M4 X 20 POZI PAN SCREW | 38 |
| FA02142000 | M5 EXT. CER. S/PROOF 11 ZP | 39 |
| FA02431000 | M4 X 8 POZI PAN, STAINLESS | 38 |
| FA03124000 | M8 FULL NUT HEX ZP | 39 |
| FA03126000 | M8 SPRING TYPE 'A' WASHER | 39 |
| FA03197000 | M4 EXT. SHAKEPROOF WASHER | 39 |
| FA03215000 | M8 STEEL FORM 'A' WASHER ZP | 39 |
| FA03227000 | UNIX CLIP, 19MM | 33 |
| FA03262000 | M4 SELF-LOCKING NUT, NYLOC | 22, 31, 39 |
| FA03289000 | M4 NYLOC NUT, STAINLESS | 38 |
| FA04301000 | M4 x .7 KNURLED THUMB NUT | 30, 38 |
| FA04320000 | SPIRAL WRAP - WHITE PLASTIC | 40 |
| FA04340000 | SCREW, M4 X 16 POZI PAN REC | 45 |
| FA04422000 | M4 STEEL EXT SHAKE PROOF 11 M4 ZINC | 20, 45 |
| FA04431000 | SCREW, M5 x 10 TAPTITE POZI PAN HEAD | 23, 40 |
| FA05206000 | M3 X 16 CSK SCREW | 38 |
| FA05210000 | M5 X 10 CHEESE HEAD SCREW | 39 |
| FA05643000 | BLANKING PLUG 30MM | 20, 40 |
| FA07111000 | M4 X 10 THUMB SCREW | 38 |
| FA07905000 | BUTTON, FIR TREE, BLACK VOCE SP | 6, 40 |

| PART# | DESCRIPTION | PAGE |
|------------|---|------------|
| FA10203000 | M3 NYLOC NUT | 38 |
| FA10205000 | M3 X 10 POZI PAN SCREW | 38 |
| FA10222000 | PCB SUPPORT | 39 |
| FA10807000 | M4 X 10 TAPTITE SCREW | 38 |
| FA10863000 | M5 X 25 CARRIAGE BOLT | 39 |
| FA11188000 | M4 x 35 POZI PAN SCREW | 39 |
| FA11770000 | M5 NYLOC STAINLESS STEEL NUT | 20 |
| FA11774000 | SELF-LOCKING NUT, M3 | 23 |
| FA13304000 | K40 x 10 PT SCREW LN1452 | 21, 22, 40 |
| FA13304000 | SCREW, K40 X 10 PT TORX - VOCE SP | 15, 16 |
| FA13305000 | M5 NYLON INSERT HEX NUT | 40 |
| FA13359000 | 'D' TYPE SCREW LOCK SET | 40 |
| FA13683000 | TWIST LOCK C/W STANDOFF | 40 |
| FA13838000 | M8 x 20 CSK SKT BZP | 40 |
| FA14036000 | FOOT BUCKET STOP | 41 |
| FA14699000 | M4 x 25 POZI PAN REC. SCREW | 40 |
| FA14890000 | SPADE CONNECTOR BOOT | 39 |
| FA14965000 | GROMMET RUBBER SEMI BLIND | 41 |
| GR13141000 | FACIA, COIN FLAP, STAINLESS | 41 |
| GR14978000 | GLASS PRINT, VM STANDARD US BLUE SWIRL (Single KO) | 4 |
| GR14979000 | GLASS PRINT, VM CARD SW BLUE SWIRL (Fully Integrated) | 4 |
| GR14981000 | GLASS PRINT, 3 PAYMENT BLUE SWIRL (Double Knockout) | 4 |
| HO01139000 | HOSE | 36 |
| HO03674001 | SPRAY HEAD HOSE ASSY. | 42 |
| HO11253000 | HOSE, EVERPURE 3/4' BSP-3 | 8 |
| LO11751000 | DISPENSE HEAD LOOM | 26 |
| LO13172000 | LOOM ATM PCB | 33 |
| LO13496 | BREWER LOOM | 35 |
| LO13653001 | EVO/INF PSU LOOM - INSTANT / FB VOCE | 24 |
| LO13919000 | MAINS LEAD IEC - USA | 33 |

| PART# | DESCRIPTION | PAGE |
|------------|--|--------|
| LO14225000 | LOOM GRINDER - VOCE | 20, 41 |
| LO14297000 | ATM POWER LOOM - AUO | 33 |
| LO15067000 | HARNESS, MEDIA DOOR LOOM | 41 |
| LO15068000 | HARNESS, MEDIA ATM LOOM | 41 |
| LO15769000 | LVDS LOOM | 41 |
| MA15717000 | CABINET, CANISTER FILL BRACKET ASSY. | 47 |
| ME01859000 | CASH BOX LOCK - VOCE SP | 6 |
| ME03024001 | TEMPERATURE CUT-OUT HOLDER | 33 |
| ME03333000 | KEY, CASH BOX #300245 | 38 |
| ME04373000 | PILE, WEATHER STRIP - GREY | 45 |
| ME10944000 | MESH SCREEN for EXHAUST FAN | 47 |
| ME10944000 | MESH SCREEN, 14 x 14, 0.02" | 36, |
| ME10988000 | M/F BOBBIN MOUNT M4 | 20, 41 |
| ME13141000 | GRAPHIC FLAP COIN | 33 |
| ME13150000 | ASSY. SPRING LOCK, LOW PROFILE - VOCE SP | 4, 6 |
| ME13244000 | FOOT RIGID M12 - VOCE | 4 |
| ME13463001 | BELT FILTER ASSY. 1D83 | 27 |
| ME1348000 | COFFEE BELT - SPARE | 34 |
| ME13592001 | PERISTALTIC PUMP ASSY24VDC | 9, 15 |
| ME13729 | MOTOR ASSY., CMS MIXING SYSTEM | 30 |
| ME14043000 | MIXING BOWL, SINGLE INLET - VOCE SP | 30 |
| ME14045000 | CDU ASSEMBLY | 28 |
| ME14046000 | ADJUSTABLE PIN ASSEMBLY | 22 |
| ME14548000 | ASSY, ADAPTOR BOWL - VOCE SP | 30 |
| ME14955000 | CONNECTOR 3/8" TUBE x 3/8" | 42 |
| ME14956000 | ELBOW 3/8" TUBE x 3/8" STEM | 42 |
| ME15106000 | OLTRE BREWER, DRIVE ROLLER, KIT | 35 |
| MO10152001 | INGREDIENT MOTOR 24VDC - 125 RPM | 8 |
| MO10955000 | GRINDER & MOTOR 120VAC - VOCE SP | 15, 20 |
| MO13457 | CASIC - MOTOR, 24VDC, CMS MIXING SYSTEM | 35 |

| PART# | DESCRIPTION | PAGE |
|------------|--|--------------|
| MT06635 | LOCK CAM, CASHBOX | 48 |
| MT10694000 | BODY, DISPENSE HEAD | 26 |
| MT10695000 | DISPENSE HEAD CHANNEL | 26 |
| MT10696080 | FRONT COVER, DISPENSE HEAD | 26 |
| MT10697000 | CODE ANGLE, DISPENSE HEAD | 26 |
| MT13077000 | PLATE - I/O CIRCUIT BOARD | 23 |
| MT13078000 | PSU BRACKET | 24 |
| MT13085290 | PANEL, MONETARY - VOCE SP | 6 |
| MT13740000 | WASTE CHUTE, OLTRE BREWER, RH | 11 |
| MT13755340 | MODULE, EXTRACT TRAY, DECAF / 2 SOLUBLES | 11 |
| MT13759000 | MODULE INFILL | 34 |
| MT13766000 | BLANKING PLATE, WHIPPER (SMALL) | 9, 11,13, 15 |
| MT13805000 | LOCK BAR - VOCE SP | 6 |
| MT13807000 | SURROUND, PAINTED - VOCE SP | 4 |
| MT13826250 | DISPENSE HEAD ARM | 26 |
| MT13975280 | CUP STAND VOCE BLACK | 34 |
| MT14065290 | BRACKET, PIVOT DRIP CATCHER - VOCE | 6 |
| MT14107290 | BLANKING PLATE, DISPENSE HEAD - US | 26 |
| MT14110290 | CLAMPING PLATE - DISPENSE HEAD - US | 26 |
| MT14176000 | BRACKET, DOOR SWITCH ACTUATOR | 6 |
| MT14229000 | PLATE, COVER MAINS LEAD | 34 |
| MT14287000 | MOUNTING BRACKET, EXHAUST FAN | 36 |
| MT14465000 | BLANKING PLATE, WHIPPER (LARGE) | 9, 11,13, 15 |
| MT14667000 | BOILER, LID | 33 |
| MT14710340 | MODULE EXTRACT TRAY - 3 SOLUBLES | 13 |
| MT14765000 | CDU BRACKET | 34 |
| MT14769000 | BRACKET DISPLAY | 34 |
| MT14772290 | CUP CATCHER ASSY. | 34 |
| MT14777000 | COVER, DOOR ROUTING BRACKET MEDIA | 6 |
| MT14792340 | EXTRACT TRAY VOCE | 9, 15 |

| PART# | DESCRIPTION | PAGE |
|------------|---|--------------------|
| MT14795290 | MNTG. PLATE FREEVEND | 35 |
| MT14808290 | VOCE CMS CDU TURRET BAND | 35 |
| MT14920290 | COVER LH ATM - VOCE MEDIA | 35 |
| MT14921290 | COVER RH ATM - VOCE MEDIA | 35 |
| MT15089000 | ATLAS 'G' MOUNTING PLATE | 6, 49 |
| PA13590000 | WASTE LEVEL PROBE | 8 |
| PA13650000 | TUBING, PERISTALTIC PUMP | 9, 15, 44 |
| PH05501000 | NOZZLE SET MOULDED | 26 |
| PL01172000 | BUCKET, 9L, SILVER | 37 |
| PL01973000 | PT PAN SCREW - M4 X 20 | 28, 43 |
| PL03083000 | EXTRACT HOSE ADAPTOR | 36 |
| PL04165000 | 'T' PIECE - 11/4" | 36 |
| PL06672000 | BUCKET, 24L FB WASTE - GREY | 37 |
| PL10035000 | RACK, MOULDING, DISPENSE HEAD | 26 |
| PL10274000 | GRILL, DRIP TRAY EVO | 43 |
| PL10821000 | CANISTER, LH S X 137 X 460H | 12, 14 |
| PL10856000 | CANISTER, 42 x 183 x 460 - 2LB. | 17 |
| PL11170000 | CANISTER 67W x 460H with AGITATOR | 10, 12,16, 17 |
| PL11172000 | CANISTER, 67W x 460H - SS AUGER, AGITATOR | 10, 12, 14, 16 |
| PL11608000 | CANISTER, 67W x 760H, (NO AGITATOR) | 10, 12, 14, 16, 17 |
| PL11696000 | BUNG, CANISTER | 44 |
| PL13126000 | CUP CATCHER, 9oz - VOCE SP | 6 |
| PL13128000 | CUP CATCHER 80mm - VOCE SP | 6 |
| PL13134000 | LENS CUP SENSOR - VOCE SP | 21, 22 |
| PL13140000 | COIN FLAP | 44 |
| PL13147000 | CLIP, CUP CATCHER | 43 |
| PL13345000 | DISPENSE HEAD MOULDING | 26 |
| PL13450000 | CLEANING RIBBON (RIGHT SIDE ONLY) | 35 |
| PL13451000 | RELEASE HANDLE | 35 |
| PL13452 | SHAFT, GEAR MOTOR DRIVE SUPPORT CHAMBER | 35 |

| PART# | DESCRIPTION | PAGE |
|------------|---|--------|
| PL13455 | MIXING BOWL (CMS MIXING SYSTEM) | 35 |
| PL13459001 | PIN with TRACTION ROLL BELT | 35 |
| PL13692000 | CAROUSEL PIN TOP | 28 |
| PL13702000 | CAROUSEL PLATE 306mm | 28 |
| PL13703000 | CAROUSEL, 7 STACK 306mm - VOCE SP | 28 |
| PL13717000 | CANISTER, RH 137D x 460H | 14 |
| PL13723000 | IMPELLER | 30 |
| PL13725000 | STEAM HOOD, CMS MIXING SYSTEM | 30 |
| PL13728000 | SEAL, WHIPPER BOWL | 30 |
| PL13774000 | TRAY, VACUUM FORMED, VEND BASE | 48 |
| PL13776000 | BRACKET CUP CATCHER | 43 |
| PL13778000 | BRACKET, SUREVEND - LH | 22 |
| PL13779000 | BRACKET, SUREVEND RH - VOCE SP | 21 |
| PL13784000 | GLASS FIXING WASHER | 44 |
| PL13802000 | DRIP TRAY VOCE ROUTING | 43 |
| PL13836000 | CAROUSEL, 6 STACK INSERT - VOCE SP | 28 |
| PL13839000 | LID, TURRET, 7 STACK | 28 |
| PL13840002 | TUBE, TURRET 7oz./8oz./9oz VOCE (SVR CUPS) | 6, 28 |
| PL13842002 | TUBE, 12oz. TURRET, VOCE - (SVS CUPS) | 6, 28 |
| PL13843000 | 80mm (12oz.) CUP THROAT (not used on 5a) | 28 |
| PL13844000 | CAROUSEL, 5 STACK 306mm, VOCE - SP | 28 |
| PL13873000 | TUBE, 12oz. / 16oz. TURRET, VOCE - (SMR CUPS) | 6, 28 |
| PL14169000 | TRANSITION CHUTE, GRINDER | 20 |
| PL14258000 | HOPPER, BEAN, ROUND - 3LB. | 15, 16 |
| PL14475000 | CUP REDUCING RING (70/73mm) | 28, 47 |
| PL14476000 | CUP REDUCING RING (80mm) | 28, 47 |
| PL14515000 | CAN S x 137 x 460 & AGITATOR & SS FRESH BREW | 9 |
| PL14515000 | CANISTER S x 137 x 460 & AGITATOR & SS FRESH BREW | 10 |
| PL14578000 | BEZEL BLANKING PANEL - VOCE | 44 |
| PL15118000 | BLANKING PANEL, USB - VOCE | 36 |

| PART# | DESCRIPTION | PAGE |
|--------------|--|-------|
| PL15121000 | VEND AREA 90mm | 43 |
| PL15289000 | DISPENSE HEAD MOULDING | 26 |
| PL1839000 | LID, TURRET, 7 STACK | 28 |
| PR01225000 | LABEL WARNING DISCONNECT | 37 |
| PR13330000 | DECAL SET, ENGLISH - VOCE | 36 |
| PR14280000 | LABEL, WARNING GFCI POWER CORD, ENGLISH | 37 |
| PR14281000 | DECAL WARNING ELECTRICAL GROUND | 37 |
| PR14282000 | DECAL CAUTION HOT BEVERAGE | 44 |
| PR14306000 | DECAL INGREDIENT / CANISTER SELECTIONS | 36 |
| PR15049000 | DECAL - POWER ON/OFF | 37 |
| SI01142960 | SILICON PIPE, 12MM, ID | 33 |
| SI04345960 | SILICONE PIPE, 6MM, ID | 33 |
| SI06340000 | SEAL PORT, THERMISTOR (has Hole for Temp. Probe) | 33 |
| SI08276000 | SEAL, BOILER, BLANK (NO HOLE) | 33 |
| VA01838A00 | VALVE, DISPENSE, REPAIR/REBUILD KIT, (A.u.K. MÜLLER) | 8, 33 |
| VA03377002 | SEAL, PORT, VALVE - (A.u.K. MÜLLER) | 8, 33 |
| VA10148002 | VALVE DISPENSE 24VDC - (A.u.K. MÜLLER) | 8, 33 |
| VM DISP HEAD | VM DISPENSE HEAD - US ASSY. | 26 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| NOTES | | | | |
|-------|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

NOTES

NOTES

Visit our Publications page on our Website under **Vending Solutions** then **Product Manuals** to find this and other manuals and technical information for the wide range of Crane Merchandising Systems products at **www.cranems.com**

CRANE_® MERCHANDISING SYSTEMS

PARTS SUPPORT



3330 Crane Way Williston , SC. 29853 Tel: (800) 621-7278 Fax: (803) 266-5150 Email: parts@cranems.com Website: www.cranems.com