


Technical Bulletin


Bulletin Nu	ımber: <u>474</u>		Revision Number:	R-05
Release	Date: June 2	21, 1993	Revision Date:	February 19, 1996
SUBJECT:		NEOUS WORLI CK VENDERS.	OWIDE PLASTIC BOT	TLE SHIMMING IN
MODELS A	FFECTED:	All Series 90 Wi	ide Stack Venders.	
REASON:	To provide the	e shimming and se	et-up of various plastic bo	ttles used worldwide.

Bulletin Index

A.	Package Shape Illustrations	Page 2
B.	Package Dimensions	Page 3
C.	Part Illustrations	Page 4
D.	Shimming and Set-Up Chart	Page A1
E	Individual Column Set-Un	. Page B1

PACKAGE SHAPE ILLUSTRATIONS







PACKAGE DIMENSIONS


Description	Package Size	Country/ Township	Shape	1	eight es (mm)	100	meter s (m m)
Jeema Water	.5 Liter	Australia	3	8.23"	(209)	2.54"	(64.5)
Mount Franklin	500 ml	Australia	1	7.16"	(181.9)	2.80"	(71.1)
No Brand Name	500 ml	Iceland	1	7.82"	(198.6)	2.70	(68.6)
Coca-Cola Contour	500 ml	Norway	2	9.08"	(230.6)	2.53"	(64.3)
Coca-Cola Contour	20 oz.	United States	2	9.03"	(229.4)	2.86"	(72.6)

PARTS ILLUSTRATIONS



Grey Shim 801,804,120.11

Divider Angle Installation:



Important: Use only in vender models for which the divider is specified.

Use This Chart To "Set-Up" and "Shim" the "Wide Stack" Vender.

Series 90, Beginning S/N 0001-3162AO & Up (Except Run Numbers 3164AO, 3166AO, & 3167AO).

Pre-Series 90, Beginning S/N 0001-3098AN to 0001-3162AO (Except 1954-3161AO to 2003-3161AO & 2656-3161AO to 2750-3161AO)

(Includes production runs 3164AO, 3166AO, and 3167AO)

PLASTIC BOTTLE

				Wide Columns			All Columns		
PACKAGE DESCRIPTION == A VENDER TAPPROVED	PAGE(S)	OUNTRY ORIGIN	LOADING DEPTH	CAN RETAINERS	PARTS PER COLUMN	CAM SETTING	CAM(S) REQUIRED	E BLARSY/GAR A LACATION	COMPANIAL STREET
.5 Liter Jeema Water Bottle in Model 360 ws	2, 3, 4, & B1	Australia	1	0	8 flat black shims, w/a right & left shim	2 notches	blue/gold	Hole #15	divider angle
500 ml PET "Mount Franklin" Bottle in Model 360 ws	2, 3, 4, & B1	Australia	l	0	4 flat black shims, 2 flat grey shims	2 notches	blue/gold	Hole #12	none
500 ml PET Plastic Bottle in Model 360 ws	2, 3, 4, & B1	Iceland	1	0	4 flat black shims	2 notches	blue/gold	Hole #14	none
500 ml Coca-Cola "Contour" PET Bottle in Model 360 ws	2, 3, 4, & B1	Norway	1	0	2 flat black shims, 2 flat grey shims, w/a right & left shim	2 notches	blue/gold	Hole #17	попе
20 oz Coca-Cola "Contour" Plastic Bottle in Model 360 ws	2, 3, 4, & B1	United States	1	0	2 flat black shims	2 notches	blue/gold	Hole #17	divider angle

N/A = Not Applicable

INDIVIDUAL COLUMN SET-UP AND SHIMMING

.5 Liter PET Jeema Water Bottle (Australia) (In model 360 ws)

Wide Column Set-Up 1 deep

8 - 801,804,960.21 Flat black shim (4 per side behind metal shim)
1 - 443,010,600.43 W/A bottle shim -2, left (1 per left side)
1 - 443,010,700.43 W/A bottle shim -2, right (1 per right side)
1 - 236,010,010.13 Divider Angle (1 per vender)

3 - 900,301,500.01 Screw, Phil Pan #8-18x1/2

Cam setting #1 or 2 notches. Rear spacer set in hole #15.

SET DISCHARGE MEMBER AND CLOSURE STRIP FOR BOTTLES.

500 ml PET "Mount Franklin" Bottle (Australia) (In model 360 ws)

Wide Column Set-Up 1 deep

4 - 801,804,960.21 Flat black shim (2 each side) 2 - 801,805,120.11 Flat grey shim (1 each side)

Cam setting #1 or 2 notches. Rear spacer set in hole #12.

SET DISCHARGE MEMBER AND CLOSURE STRIP FOR BOTTLES.

500 ml "PET" Plastic Bottle (Iceland) (In model 360 ws)

Wide Column Set-Up 1 deep

4 - 801,804,960.21 Flat black shim (2 each side)

Cam setting #1 or 2 notches. Rear spacer set in hole #14.

SET DISCHARGE MEMBER AND CLOSURE STRIP FOR BOTTLES

500 ml PET "Contour" Coca-Cola Bottle (Norway) (In model 360 ws)

Wide Column Set-Up 1 deep

6 - 801,804,960.21 Flat black shim (3 each side)

Cam setting #1 or 2 notches. Rear spacer set in hole #17.

SET DISCHARGE MEMBER AND CLOSURE STRIP FOR BOTTLES.

20 oz Coca-Cola "Contour" Plastic Bottle (USA) (In model 360 ws)

Wide Column Set-Up 1 deep

2 - 801,804,960.21 Flat black shim (1 each side)

1 - 236,010,010.13 Divider Angle

3 - 900,301,500.01 Screw, Phil Pan #8-18x1/2

Cam setting #1 or 2 notches. Rear spacer set in hole #17.

SET DISCHARGE MEMBER AND CLOSURE STRIP FOR BOTTLES